


*** TIPW F500 101 *** (2100 1121) 01-12-11

DH1~DH2=20947 (±30)

Coordinates			
Mark	X	Y	R
GM	0	0	
DH1	-10813	-2322	
DH2	10022	-4886	
a1	8364	8889	1200
a2	-8455	8502	1200
a3	-8078	-10529	2000
a4	-7503	-11081	2000
a5	8494	-10197	2000
a6	9203	-9562	2000



Section PB1, 2 ON stroke


Section a1~a6

Material	Quantity	Unit	Scale	Date	Drawn	Checked	Approved	General Tolerances	Hardness	Plating
Heat Treatment	1/1000 mm	8:1								
Dimensions										
Angles										
Name: Frame for Case								Drawing No.: F500C000		
Call. No.: F500								Parts:		

MIYOTA


This drawing is provisional and subject to our reconfirmation and/or revision without notice.

*** TIPW FS00-00A (01) *** (2100 1121) 01-12-11 30.0



Quantity		Cal. No. : FS00-00A	
Unit		1/1000 mm	
Scale		6:1	
Date		Parts:	
Drawn		Name:	
Checked T. Hiruta		Indications for Dial	
Approved		Drawing No. : FS00D000	
Material	General Tolerances		MIYOTA
Heat Treatment	Dimensions		
Hardness	Angles		
Plating			


This drawing is provisional and subject to our reconfirmation and/or revision without notice.



△			Quantity		Cal. NO.:
△			Unit	1/1000mm	FS01-00A
△			Scale	6:1	Parts No.:
△			Date		
△			Drawn		
Material			Checked	T. Hiruta	Name:
Heat Treatment			Approved		Indications for Dial
Hardness					Drawing No.: FS01DD00
Plating			General Tolerances		MIYOTA
			Dimensions		
			Angles		
					CITIZEN WATCH CO., LTD., TOKYO, JAPAN

This drawing is provisional and subject to our reconfirmation and/or revision without notice.

065-549 (0.1) *** (2100.1121) 01-12-07



Section A-A


S0. 9, P=0. 225mm

∅ 1000

9060

2300

16145



Material		Quantity		Cal. No. :	
Heat Treatment		Unit		Parts:	
Hardness		Scale		065-549	
Plating		Date			
		Drawn		Name:	
		Checked		SETTING STEM	
		Approved		Drawing No. : 5490S000	
		General Tolerances		MIYOTA	
		Dimensions			
		Angles			

