


# Operation Guide 4362

## Getting Acquainted

Congratulations upon your selection of this CASIO watch. To get the most out of your purchase, be sure to read this manual carefully.

### Keep the watch exposed to bright light




The electricity generated by the solar cell of the watch is stored by a built-in battery. Leaving or using the watch where it is not exposed to light causes the battery to run down. Make sure the watch is exposed to light as much as possible.


- When you are not wearing the watch on your wrist, position the face so it is pointed at a source of bright light.
- You should try to keep the watch outside of your sleeve as much as possible. Charging is reduced significantly if the face is only partially covered.

- The watch continues to operate, even when it is not exposed to light. Leaving the watch in the dark can cause the battery to run down, which will result in some watch functions to be disabled. If the battery goes dead, you will have to re-configure watch settings after recharging. To ensure normal watch operation, be sure to keep it exposed to light as much as possible.

### Battery charges in the light.




### Battery discharges in the dark.




## General Guide

- Press (C) to change from mode to mode.
- In any mode (except when a setting screen is on the display), press (B) to illuminate the face of the watch.



## Timekeeping

- Use the Timekeeping Mode to set and view the current time and date.
- When setting the time, you can also configure settings for the 12/24-hour format.
- All of the operations in this section are performed in the Timekeeping Mode, which you can enter by pressing (C).




### Setting the Digital Time and Date

This watch is preset with a number of city codes, each of which represents the time zone where that city is located. When setting the digital time, it is important that you select the correct city code for your Home City (the city where you normally use the watch). If your location is not included in the preset city codes, select the preset city code that is in the same time zone as your location.

• Note that all of the times for the World Time Mode city codes are displayed in accordance with the digital time and date settings you configure in the Timekeeping Mode.

### To set the digital time and date

1. In the Timekeeping Mode, hold down (A) until the city code starts to flash, which indicates the setting screen.
2. Press (B) or (D) to select the city code you want.
  - Make sure you select your Home City code before changing any other setting.
  - See "City Code Table" for a complete list of available city codes.
3. Press (C) to move the flashing in the sequence shown below to select other settings.



- The actual level at which some functions are disabled depends on the watch model.
- Frequent display illumination can run down the battery quickly and require charging. The following guidelines give an idea of the charging time required to recover from a single illumination operation.

Approximately 5 minutes exposure to bright sunlight coming in through a window  
Approximately 50 minutes exposure to indoor fluorescent lighting


- Be sure to read "Power Supply" for important information you need to know when exposing the watch to bright light.

### If the display of the watch is blank...

If the display of the watch is blank, it means that the watch's Power Saving function has turned off the display to conserve power.

- See "Power Saving Function" for more information.

### About This Manual



- Depending on the model of your watch, display text appears either as dark figures on a light background, or light figures on a dark background. All sample displays in this manual are shown using dark figures on a light background.
- Button operations are indicated using the letters shown in the illustration.
- Most of the display examples in this manual show only the digital display, without the analog hands.
- Each section of this manual provides you with the information you need to perform operations in each mode. Further details and technical information can be found in the "Reference" section.

4. When the setting you want to change is flashing, use (B) and/or (D) to change it as described below.

| Screen: | To do this:   | Do this:                       |
|---------|---|--------------------------------|
| TYO     | Change the city code  | Use (D) (east) and (B) (west). |
| DST ON  | Cycle between Daylight Saving Time (DST) and Standard Time (ST) | Press (D).                     |
| 12H     | Toggle between 12-hour (12H) and 24-hour (24H) timekeeping      | Press (D).                     |
| 36      | Reset the seconds to 00   | Press (D).                     |
| 10:00   | Change the hour or minutes                                      | Use (D) (+) and (B) (-).       |
| 6:30 06 | Change the year   | Press (D).                     |
|         | Change the month or day   |                                |
| PS ON   | Toggle Power Saving on (ON) and off (OFF)                       | Press (D).                     |

- For information about settings other than the time and date, see the following. Power Saving: Power Saving Function
- 5. Press (A) to exit the setting screen.
- When you exit the setting screen, the analog hands are adjusted automatically to match the digital time. See "Analog Timekeeping" for more information.
- See "Daylight Saving Time (DST)" below for details about the DST setting.

### Daylight Saving Time (DST)

Daylight Saving Time (summer time) advances the time setting by one hour from Standard Time. Remember that not all countries or even local areas use Daylight Saving Time.

### To toggle the Timekeeping Mode digital time between DST and Standard Time

1. In the Timekeeping Mode, hold down (A) until the city code starts to flash, which indicates the setting screen.
2. Press (C) once and the DST setting screen appears.
3. Press (D) to toggle between Daylight Saving Time (DST displayed) and Standard Time (ST displayed).
4. Press (A) to exit the setting screen.
  - The DST indicator appears on the display to indicate that Daylight Saving Time is turned on.



## Analog Timekeeping

The analog time of this watch is synchronized with the digital time. The analog time setting is adjusted automatically whenever you change the digital time.

### Note

- The hands for the analog timepiece move to adjust to a new setting whenever any of the following occurs.
  - When you change the digital time setting
  - When you change the Home City code and/or DST setting
- If the analog time does not match the digital time for any reason, use the procedure described under "To adjust the analog time" to match the analog setting to the digital setting.
- Whenever you need to adjust both the digital and the analog time settings manually, make sure you adjust the digital setting first.
- Depending on how much the hands have to move in order to adjust to the digital time, it may take some time before they stop moving.

### To adjust the analog time


- In the Timekeeping Mode, press (C) five times to enter the Hand Setting Mode.
- Hold down (A) until the current digital time starts to flash, which indicates the setting screen.
- Use (D) and (B) to adjust the analog setting as described below.

| When you want to do this:                               | Perform this button operation:   |
|---|--|
| Move the hand setting forward 20 seconds                | • Press (D).   |
| Move the hand setting a short way forward at high speed | • Hold down (D).<br>• Release (D) when the hands reach the setting you want.   |
| Move the hand setting a long way forward at high speed  | • While holding down (D) to move the hands at high speed, press (B) to lock the high-speed hand movement.<br>• To stop the hand movement, press any button.<br>• Hand movement stops automatically if the hour hand makes one full (12-hour) revolution. |

- Press (A) to exit the setting screen.
- The minute hand will be adjusted slightly to match the seconds when you exit the setting screen.
- To return to the Timekeeping Mode, press (C).

## World Time

LON — City code



Current time in selected city

The World Time Mode digitally displays the current time in 48 cities (29 time zones) around the world.

- If the current time shown for a city is wrong, check your Home City time settings and make the necessary changes.
- All of the operations in this section are performed in the World Time Mode, which you enter by pressing (C).

### To view the time in another city

While in the World Time Mode, press (D) to scroll through the city codes (time zones) to the east.


- For full information on city codes, see the "City Code Table".

### To toggle a city code time between Standard Time and Daylight Saving Time

- In the World Time Mode, use (D) to display the city code (time zone) whose Standard Time/Daylight Saving Time setting you want to change.
- Hold down (A) to toggle Daylight Saving Time (DST indicator displayed) and Standard Time (DST indicator not displayed).
- Note that you cannot use the World Time Mode to change the DST setting of the Home City code you currently have selected in the Timekeeping Mode. See "To set the digital time and date" for information about turning the Home City code DST setting on and off.
- The DST indicator will appear on the display whenever you display a city code for which Daylight Saving Time is turned on.
- Note that the DST/Standard Time setting affects only the currently displayed city code. Other city codes are not affected.

## Countdown Timer

THR



Minutes Seconds 1/100 second

You can set the countdown timer within a range of one to 60 minutes. An alarm sounds when the countdown reaches zero.

- All of the operations in this section are performed in the Countdown Timer Mode, which you enter by pressing (C).

### To set the countdown start time


- While the countdown start time is on the display in the Countdown Timer Mode, hold down (A) until the current countdown start time starts to flash, which indicates the setting screen.
  - If the countdown start time is not displayed, use the procedure under "To use the countdown timer" to display it.
- While a setting is flashing, use (D) (+) and (B) (-) to change it.
- Press (A) to exit the setting screen.

### To use the countdown timer

Press (D) while in the Countdown Timer Mode to start the countdown timer.

- When the end of the countdown is reached, the alarm sounds for 10 seconds or until you stop it by pressing any button. The countdown time is automatically reset to its starting value after the alarm stops.
- Press (D) while a countdown operation is in progress to pause it. Press (D) again to resume the countdown.
- To completely stop a countdown operation, first pause it (by pressing (D)), and then press (A). This returns the countdown time to its starting value.

## Stopwatch



The stopwatch lets you measure elapsed time, split times, and two finishes.

- The display range of the stopwatch is 59 minutes, 59.99 seconds.
- The stopwatch continues to run, restarting from zero after it reaches its limit, until you stop it.
- Exiting the Stopwatch Mode while a split time is frozen on the display clears the split time and returns to elapsed time measurement.
- The stopwatch measurement operation continues even if you exit the Stopwatch Mode.
- All of the operations in this section are performed in the Stopwatch Mode, which you enter by pressing (C).

### To measure times with the stopwatch

#### Elapsed Time




#### Split Time



#### Two Finishes



## Alarm



Alarm time (Hour : Minutes)

When the alarm is turned on, the alarm sounds when the alarm time is reached. You can also turn on an Hourly Time Signal, which will cause the watch to beep twice every hour on the hour.

- All of the operations in this section are performed in the Alarm Mode, which you enter by pressing (C).

### To set the alarm time

- In the Alarm Mode, hold down (A) until the hour setting of the alarm time starts to flash, which indicates the setting screen.
  - This operation automatically turns on the alarm.
- Press (C) to move the flashing between the hour and minute settings.
- While a setting is flashing, use (D) (+) and (B) (-) to change it.
  - When setting the alarm time using the 12-hour format, take care to set the time correctly as a.m. (no indicator) or p.m. (PM indicator).
- Press (A) to exit the setting screen.

### Alarm Operation

The alarm sounds at the preset time for about 10 seconds, regardless of the mode the watch is in.


- To stop the alarm tone after it starts to sound, press any button.

### To test the alarm

In the Alarm Mode, hold down (D) to sound the alarm.

### To turn the Daily alarm and the Hourly Time Signal on and off

In the Alarm Mode, press (D) to cycle through the settings shown below.



- The alarm on indicator and the Hourly Time Signal on indicator are shown on the display in all modes while these functions are turned on.

## Illumination



An LED (light-emitting diode) and light guide panel illuminate the digital display for easy reading in the dark.  
 • See "Illumination Precautions" for other important information.


**To turn on illumination**  
 In any mode (except when a setting is on the display), press (B) to illuminate the display.

## Power Supply

This watch is equipped with a solar cell and a special rechargeable battery (secondary battery) that is charged by the electrical power produced by the solar cell. The illustration shown below shows how you should position the watch for charging.

**Example:** Orient the watch so its face is pointing at a light source.

- The illustration shows how to position a watch with a resin band.
- Note that charging efficiency drops when any part of the solar cell is blocked by clothing, etc.
- You should try to keep the watch outside of your sleeve as much as possible. Charging is reduced significantly if the face is only partially covered.



### Important!

- Storing the watch for long periods in an area where there is no light or wearing it in such a way that it is blocked from exposure to light can cause rechargeable battery power to run down. Make sure that the watch is normally exposed to bright light whenever possible.
- This watch uses a special rechargeable battery to store power produced by the solar cell, so regular battery replacement is not required. However, after very long use, the rechargeable battery may lose its ability to achieve a full charge. If you experience problems getting the special rechargeable battery to charge fully, contact your dealer or CASIO distributor about having it replaced.
- Never try to remove or replace the watch's special battery yourself. Use of the wrong type of battery can damage the watch.
- The current time and all other settings return to their initial factory defaults whenever battery power drops to Level 5 and when you have the battery replaced.
- Turn on the watch's Power Saving function and keep it in an area normally exposed to bright light when storing it for long periods. This helps to keep the rechargeable battery from going dead.

### Battery Power Indicator and Recover Indicator

The battery power indicator shows you the current power level of the rechargeable battery.

| Level | Battery Power Indicator | Function Status                                       |
|-------|-------------------------|---|
| 1     |                         | All functions enabled.                                |
| 2     |                         | All functions enabled.                                |
| 3     | <br>(Charge Soon Alert) | Alarm, hourly time signal, and illumination disabled. |
| 4     | <br>(Charge Soon Alert) | All functions disabled.                               |
| 5     |                         | Display disabled and initialized.                     |

- The **LOW** indicator flashes on the display in the Timekeeping Mode when battery is at Level 3.
- The **LOW** indicator at Level 3 and the flashing charge indicator (**CHG**) at Level 4 tell you that battery power is very low, and that exposure to bright light for charging is required as soon as possible.
- At Level 5, all functions are disabled and settings return to their initial factory defaults. Functions are enabled once again after the rechargeable battery is charged, but you need to set the time and date, after the battery reaches Level 4 (indicated by the flashing charge indicator) from Level 5. You will not be able to configure any of the other settings until the battery reaches Level 3 (no charge indicator) after dropping to Level 5.
- Leaving the watch in direct sunlight or some other very strong light source can cause the battery power indicator to show a reading that is momentarily higher than the actual battery level. The correct battery power indicator should appear after a few minutes.
- If you use the light or alarms a number of times during a short period, the recover indicator (⌘) appears and the following operations become disabled until battery power recovers.

**Illumination  
Beeper tone**

After some time, battery power will recover and the recover indicator will disappear, indicating that the above functions are enabled again.

### Charging Precautions

Certain charging conditions can cause the watch to become very hot. Avoid leaving the watch in the areas described below whenever charging its rechargeable battery. Also note that allowing the watch to become very hot can cause its liquid crystal display to black out. The appearance of the LCD should become normal again when the watch returns to a lower temperature.

### Warning!

**Leaving the watch in bright light to charge its rechargeable battery can cause it to become quite hot. Take care when handling the watch to avoid burn injury. The watch can become particularly hot when exposed to the following conditions for long periods.**

- On the dashboard of a car parked in direct sunlight
- Too close to an incandescent lamp
- Under direct sunlight

## Charging Guide

After a full charge, timekeeping remains enabled for up to about 8 months.

- The following table shows the amount of time the watch needs to be exposed to light each day in order to generate enough power for normal daily operations.

| Exposure Level (Brightness)                           | Approximate Exposure Time |
|---|---------------------------|
| Outdoor Sunlight (50,000 lux)                         | 6 minutes                 |
| Sunlight Through a Window (10,000 lux)                | 22 minutes                |
| Daylight Through a Window on a Cloudy Day (5,000 lux) | 36 minutes                |
| Indoor Fluorescent Lighting (500 lux)                 | 6 hours                   |

- Since these are the specs, we can include all the technical details.
  - Display on 18 hours per day, sleep state 6 hours per day
  - 1 illumination operation (1.5 seconds) per day
  - 10 seconds of alarm operation per day
  - 16 minutes of signal reception per day
- Stable operation is promoted by frequent exposure to light.

## Recovery Times

The table below shows the amount exposure that is required to take the battery from one level to the next.

| Exposure Level (Brightness)                           | Approximate Exposure Time |         |           |          |         |
|---|---------------------------|---------|-----------|----------|---------|
|   | Level 5                   | Level 4 | Level 3   | Level 2  | Level 1 |
| Outdoor Sunlight (50,000 lux)                         | 2 hours                   |         | 21 hours  | 5 hours  |         |
| Sunlight Through a Window (10,000 lux)                | 6 hours                   |         | 79 hours  | 18 hours |         |
| Daylight Through a Window on a Cloudy Day (5,000 lux) | 9 hours                   |         | 127 hours | 29 hours |         |
| Indoor Fluorescent Lighting (500 lux)                 | 97 hours                  |         | ---       |          |         |


- The above exposure time values are all for reference only. Actual required exposure times depend on lighting conditions.

## Reference

This section contains more detailed and technical information about watch operation. It also contains important precautions and notes about the various features and functions of this watch.

## Power Saving Function

*Power saving indicator*



When turned on, the Power Saving function enters a sleep state automatically whenever the watch is left in an area where it is dark for a certain period. The table below shows how watch functions are affected by the Power Saving function.

| Elapsed Time in Dark | Display   | Operation  |
|----------------------|---|--|
| 60 to 70 minutes     | Blank, with Power saving indicator (⌘) flashing     | All functions enabled, except for the display        |
| 6 or 7 days          | Blank, with Power saving indicator (⌘) not flashing | Beeper tone, illumination, and display are disabled. |

- Wearing the watch inside the sleeve of clothing can cause it to enter the sleep state.
- The watch will not enter the sleep state between 6:00 AM and 9:59 PM. If the watch is already in the sleep state when 6:00 AM arrives, however, it will remain in the sleep state.

### To recover from the sleep state

Perform any one of the following operations.

- Move the watch to a well-lit area.
- Press any button.

### To turn Power Saving on and off

1. In the Timekeeping Mode, hold down (A) until the city code starts to flash, which indicates the setting screen.
2. Press (C) nine times until the Power Saving on/off screen appears.
3. Press (D) to toggle Power Saving on (ON) and off (OFF).
4. Press (A) to exit the setting screen.
  - The Power Saving indicator (⌘) is on the display in all modes while Power Saving is turned on.

*On/Off status*

## Button Operation Tone

In any mode (except when a setting screen is on the display), hold down (C) for about three seconds to toggle the button operation tone on and off. The button operation tone off indicator (⌘) is displayed while the tone is turned off.

- Even if the button operation tone is turned off, the daily alarm and countdown timer alarm continue to sound when required.

## Auto Return Features

- If you leave the watch in the Alarm or Hand Setting Mode for two or three minutes without performing any operation, it automatically returns to the Timekeeping Mode.
- If you leave the watch with a flashing setting on the display for two or three minutes without performing any operation, the watch automatically exits the setting screen.

## Scrolling

The (B) and (D) buttons are used in various modes and setting screens to scroll through data on the display. In most cases, holding down these buttons during a scroll operation scrolls through the data at high speed.

## Initial Screens

When you enter the World Time Mode, the data you were viewing when you last exited the mode appears first.

## Timekeeping

- Resetting the seconds to **00** while the current count is in the range of 30 to 59 causes the minutes to be increased by 1. In the range of 00 to 29, the seconds are reset to **00** without changing the minutes.
- The day of the week is automatically displayed in accordance with the date (year, month, and day) settings.
- The year can be set in the range of 2000 to 2099.
- The watch's built-in full automatic calendar makes allowances for different month lengths and leap years. Once you set the date, there should be no reason to change it except after you have the watch's battery replaced or when battery power drops to Level 5.
- The current time for all city codes in the Timekeeping Mode and World Time Mode is calculated in accordance with the Greenwich Mean Time (GMT) differential for each city, based on your Home City time setting.
- The times for the Timekeeping Mode and all the city codes of the World Time Mode are calculated in accordance with each city's UTC differential.
- The UTC differential is a value that indicates the time difference between a reference point in Greenwich, England and the time zone where a city is located.
- The letters "UTC" is the abbreviation for "Universal Time Coordinated", which is the world-wide scientific standard of timekeeping. It is based upon carefully maintained atomic (cesium) clocks that keep time accurately to within microseconds. Leap seconds are added or subtracted as necessary to keep UTC in sync with the Earth's rotation.

## 12-hour/24-hour Timekeeping Formats

The 12-hour/24-hour timekeeping format you select in the Timekeeping Mode is also applied in all other modes.

- With the 12-hour format, the PM indicator (**PM**) appears on the display for times in the range of noon to 11:59 p.m. and no indicator appears for times in the range of midnight to 11:59 a.m.
- With the 24-hour format, times are displayed in the range of 0:00 to 23:59, without any indicator.

## Illumination Precautions

- Illumination may be hard to see when viewed under direct sunlight.
- Illumination automatically turns off whenever an alarm sounds.
- Frequent use of illumination runs down the battery.

## City Code Table

| City Code | City           | GMT Differential | Other major cities in same time zone                                 |
|-----------|----------------|------------------|--|
| PPG       | Pago Pago      | -11.0            |  |
| HNL       | Honolulu       | -10.0            | Papeete  |
| ANC       | Anchorage      | -09.0            | Nome   |
| YVR       | Vancouver      |                  | San Francisco, Las Vegas, Seattle/Tacoma, Dawson City                |
| LAX       | Los Angeles    | -08.0            |  |
| YEA       | Edmonton       | -07.0            | El Paso  |
| DEN       | Denver         |                  |  |
| MEX       | Mexico City    |                  |  |
| YWG       | Winnipeg       | -06.0            | Houston, Dallas/Fort Worth, New Orleans                              |
| CHI       | Chicago        |                  |  |
| MIA       | Miami          |                  |  |
| YTO       | Toronto        | -05.0            | Montreal, Detroit, Boston, Panama City, Havana, Lima, Bogota         |
| NYC       | New York       |                  |  |
| CCS       | Caracas        |                  |  |
| YHZ       | Halifax        | -04.0            | La Paz, Santiago, Port Of Spain                                      |
| YYT       | St. Johns      | -03.5            |  |
| RIO       | Rio De Janeiro | -03.0            | Sao Paulo, Buenos Aires, Brasilia, Montevideo                        |
| RAI       | Praia          | -01.0            |  |
| LIS       | Lisbon         |                  |  |
| LON       | London         | +00.0            | Dublin, Casablanca, Dakar, Abidjan                                   |
| BCN       | Barcelona      |                  |  |
| MAD       | Madrid         |                  |  |
| PAR       | Paris          |                  |  |
| MIL       | Milan          | +01.0            | Amsterdam, Algiers, Hamburg, Frankfurt, Vienna                       |
| ROM       | Rome           |                  |  |
| BER       | Berlin         |                  |  |
| STO       | Stockholm      |                  |  |
| ATH       | Athens         |                  |  |
| CAI       | Cairo          | +02.0            | Helsinki, Istanbul, Beirut, Damascus, Cape Town                      |
| JRS       | Jerusalem      |                  |  |
| MOW       | Moscow         |                  |  |
| JED       | Jeddah         | +03.0            | Kuwait, Riyadh, Aden, Addis Ababa, Nairobi                           |
| THR       | Tehran         | +03.5            | Shiraz   |
| DXB       | Dubai          | +04.0            | Abu Dhabi, Muscat  |
| KBL       | Kabul          | +04.5            |  |
| KHI       | Karachi        | +05.0            | Male   |
| DEL       | Delhi          | +05.5            | Mumbai, Kolkata  |
| DAC       | Dhaka          | +06.0            | Colombo  |
| RGN       | Yangon         | +06.5            |  |
| BKK       | Bangkok        | +07.0            | Jakarta, Phnom Penh, Hanoi, Vientiane                                |
| HKG       | Hong Kong      | +08.0            | Singapore, Kuala Lumpur, Beijing, Taipei, Manila, Perth, Ulaanbaatar |
| SEL       | Seoul          |                  |  |
| TYO       | Tokyo          | +09.0            | Pyongyang  |
| ADL       | Adelaide       | +09.5            | Darwin   |
| GUM       | Guam           |                  |  |
| SYD       | Sydney         | +10.0            | Melbourne, Rabaul  |
| NOU       | Noumea         | +11.0            | Port Vila  |
| WLG       | Wellington     | +12.0            | Christchurch, Nadi, Nauru Island                                     |

- Based on data as of June 2005.