


ManualsLib.com

87 X Y Z


Caliber No.





[Time setting indication display]



If sufficiently charged and time is set



ManualsLib.com



ManualsLib.com

Illuminance (lux)	Environment	Time required		
		One day usage	From the stop state to the one second movement	Empty to full
500	Inside an ordinary office	1 hour	30 hours	250 hours
1000	60-70cm under a fluorescent light	35 minutes	15 hours	125 hours
3000	20cm under a fluorescent light	10 minutes	5 hours	40 hours
10000	Exterior, cloudy	3 minutes	1 hour 30 minutes	12 hours
100000	Exterior, summer, sunny	1 minute	25 minutes	3 hours 30 minutes

N.D. LIMITS	
DEPTH m	N.D. TIME
12	100
15	100
18	80
21	60
24	45
27	30
30	15
33	10
36	5
39	5
42	5
45	5

*These N.D. LIMITS for decompression are for one dive.

ManualsLib.com

Indication		Water-related use					
Watch face	Caseback	Light spray, perspiration, light rain, etc.	Swimming, etc.	Skin diving (without air tank)	Scuba diving (Diving with air tank)	Saturation diving (helium enriched environment)	Pulling out the crown when the watch is wet.
—	WATER RESIST	OK	NO	NO	NO	NO	NO
WATER RESISTANT (5 bar)	WATER RESIST(ANT)	OK	OK	NO	NO	NO	NO
WATER RESISTANT (10~20 bar)	WATER RESIST (ANT)	OK	OK	OK	NO	NO	NO
WATER RESISTANT (200 m)	WATER RESIST(ANT)	OK	OK	OK	OK	NO	NO

* "WATER RESISTANT" may sometimes be abbreviated as "WATER RESIST"

* Always set the crown in the normal position.

* Tighten screwlock crown completely.

ManualsLib.com