







MIYOTA

	±



	 ± 0.15 ~ 0.40mm








This drawing is provisional and subject to our reconfirmation and/or revision without notice.

DH1~DH2=32195±20

HOLE FOR STEEL REMOVAL

COORDINATES	X	Y	R
DH1	-15200	-4300	—
DH2	-15200	5300	—
b1	-3092	16654	322
b2	-16920	800	322
b3	-16920	-800	322
b4	-800	-16920	322
b5	800	-16920	322
b6	-16920	-800	322
b7	-16920	800	322




DATE	DATE	DATE	DATE
BY	BY	BY	BY
CHECKED	CHECKED	CHECKED	CHECKED
APPROVED	APPROVED	APPROVED	APPROVED
DESIGNER	DESIGNER	DESIGNER	DESIGNER
DRAWING NO.	6520	PARTS NO.	
SCALE	6:1	NAME	MIYOTA
DATE		FRAME NO.	
TESTED		DATE	
APPROVED		DATE	
DESIGNER		DATE	
DRAWING NO.		DATE	
DRAWING NO.		DATE	
DRAWING NO.		DATE	
DRAWING NO.		DATE	

MIYOTA
CITIZEN BATH CO., LTD., TOKYO, JAPAN

CONFIDENTIAL 2023/03/08 (13:01:27)


This drawing is provisional and subject to our reconfirmation and/or revision without notice.



△			Quantity		Cal. NO.:
△			Unit	1/1000mm	6S20-00A
△			Scale	4:1	Parts No.:
△			Date		
△			Drawn		
Material			Checked	D. Yanada	Name:
Heat Treatment			Alterations	Approved	Indications for Dial
Hardness					Drawing No.: 6S2000D0
Plating			General Tolerances		MIYOTA
			Dimensions		
			Angles		
					CITIZEN WATCH CO., LTD., TOKYO, JAPAN

CONFIDENTIAL 2023/03/08 (12:56:48)

This drawing is provisional and subject to our reconfirmation and/or revision without notice.



△			Quantity		Cal. NO.:
△			Unit	1/1000mm	
△			Scale	20:1	Parts No.:
△			Date		065-A13
△			Drawn		
Material			Checked	D. Yanada	Name:
Heat Treatment			Approved		SETTING STEM
Hardness					Drawing No.: A1300DS0
Plating			General Tolerances	MIYOTA CITIZEN WATCH CO., LTD., TOKYO, JAPAN	
			Dimensions		
			Angles		

