

CITIZEN®

ManualsLib.com



-

ManualsLib.com

-

-

-

-

-

-

•

•

•

•

ManualsLib.com

•

•

•

•

ManualsLib.com



TIME

ALM

TEMP

LOG

PLOG



SURF

T R

BUSY



Alternative indication



Alternative indication


SLOW

CHEK


BAT

ERR


ManualsLib.com




Ⓜ : Push the Ⓜ button for 2 sec.
 ←--- : Indicated only in surface mode
 ←--- : Auto-return




ManualsLib.com






ManualsLib.com









-
-


- (B) : Push the (B) button for 2 sec.
- ←..... : Auto-return
- ⊙ : Flashing



ManualsLib.com







Diving No.



Diving No.





ManualsLib.com

-
-
-
-

Finish of valid diving

Measurement in surface mode



Surface mode
 Measurement and indication are started.
 (Push the  button for 2 seconds to change the indication.)




After 24 hour
 Measurement and indication in surface mode are finished.

If in surface mode, watch is returned to time and calendar mode.




ManualsLib.com



First log indication

Second log indication



Diving No.
 • The diving No. can be indicated up to 9.
 • If the diver dives 10 times or more in one day, the diving No. start from 1 again. Then, judge the No. of each diving in the date by the diving start time.

If the log data contains the profile data, "PLOG" is indicated.


If the log data does not contain the profile data, "LOG" is indicated.

• Only the data marked with "PLOG" can be transferred to a personal computer.






-
-
-
-
-
-
-

ManualsLib.com




Connection pin



ManualsLib.com



-
-





•


•

•





•

•

ManualsLib.com



ManualsLib.com

ManualsLib.com
