

Thank you for your purchase of this Citizen watch.

Before using the watch, read this instruction manual carefully to ensure correct use. After reading the manual, store it in a safe place for future reference.

Be sure to visit the Citizen website at <http://www.citizenwatch-global.com/>.


Here you will find a variety of information such as electronic setting guides, answers to frequently asked questions, Eco-Drive recharging information and more.

#### To check the movement number

A case number—4 alphanumeric characters and 6 or more alphanumeric characters—is engraved on the case back. (Figure on the right)

The first 4 characters of the case number represent the movement number of the watch. In the example on the right, "△△△△" is the movement number.

#### Engraving position example






The engraving position may differ depending on watch model.

## Safety precautions (IMPORTANT)

This manual contains instructions that should be strictly followed at all times not only for optimal use, but to prevent any injuries to yourself, other persons or property.



We encourage you to read the entire booklet (especially, pages 60 to 71) and understand the meaning of the following symbols:

- Safety advisories are categorized and depicted in this manual as follows:

 <b>DANGER</b>	Highly likely to cause death or serious injury
 <b>WARNING</b>	Can cause serious injury or death
 <b>CAUTION</b>	Can or will cause minor or moderate injury or damage

## Safety precautions (IMPORTANT)

- Important instructions are categorized and depicted in this manual as follows:

	Warning (caution) symbol followed by instructions that should be followed or precautions that should be observed.
	Warning (caution) symbol followed by prohibited matters.

## Before using this watch

After unpacking, the following must be done before using the watch:

◆ **Checking the power reserve →Page 17**


For optimal performance, ensure your watch is fully charged prior to use.

◆ **Setting the World Time →Page 22**

Select the city or time difference for which you want to indicate the time and date.

◆ **Checking the time signal reception →Page 41**

Check the result of the time signal reception.



**This watch has a rechargeable cell which is charged by exposing the dial to light.**

Expose the dial to direct sunlight regularly to charge the watch. For details of charging, see pages 12 to 19.

## Before using this watch

◆ **Protective stickers**

Be sure to remove any protective stickers that may be on your watch (case back, band, clasp, etc.) Otherwise, perspiration or moisture may enter the gaps between the protective stickers and the parts, which may result in a skin rash and/or corrosion of the metal parts.

◆ **Band adjustment**

We do not recommend attempting to adjust the watch band yourself. Special expertise and experience is required for proper adjustment. If not adjusted correctly, the band may become detached leading to loss of your watch. (Some retailers may supply a band adjustment tool with your purchase).

For band adjustment, we recommend you consult the retailer from where the watch was purchased or your nearest Authorized Citizen Service Center. Some repair shops may charge a nominal fee for adjustment if the watch was not purchased directly from them.





## Before using this watch

### ◆ Specially designed crown/push button

Some models are equipped with a specially designed crown and/or push button(s) to prevent accidental operation. Please refer to the following chart for use.


#### How to use a screw down crown and screw down push button

Unlock the crown prior to operate your watch.

	Unlock	Lock
Screw down crown	 <p>Rotate the crown counterclockwise until it releases from the case.</p>	 <p>Push the crown in to the case. With gentle pressure towards the case, rotate the crown clockwise to secure it to the case. Be sure to tighten firmly.</p>
Screw down push button	 <p>Rotate the locking screw counterclockwise, and loosen until it stops.</p>	 <p>Rotate the locking screw clockwise, and tighten firmly.</p>

## Before using this watch

### How to use recessed buttons



Press the button with a narrow-tipped object such as a wooden toothpick.

## Table of contents

Features .....	10
Component identification .....	11
Charging your watch.....	12
Using the chronograph.....	20
Setting the World Time .....	22
Setting Daylight Saving Time .....	26
Notes on the time signal reception .....	33
Checking the time signal reception.....	41
Receiving the time signal manually (On demand reception) .....	43
Adjusting the time/calendar manually .....	45
Checking and correcting the current reference position .....	50

## Table of contents

Troubleshooting .....	54
Eco-Drive (solar powered) watch handling precautions .....	60
Water resistance .....	64
Precautionary items and usage limitations .....	66
Specifications.....	72

## Features

### "Radio controlled watch"

Receives a time signal from one of the five signal stations located in four regions and automatically adjusts the time and calendar.



### "World Time"

Easy to see the time and calendar of cities all over the world.

\* "Eco-Drive" is Citizen's proprietary technology.



### "Eco-Drive"

Never needs a new battery. This watch is fueled by light.



### "Chronograph"


Measure elapsed time up to 60 minutes.



### "Perpetual calendar"

Once set, the date will automatically adjust for months shorter than 31 days as well as leap years.

## Component identification



\* The illustrations in this instruction manual may differ from the actual appearance of your watch.

\* A solar cell is placed under the dial.

## Charging your watch


This watch has a rechargeable cell which is charged by exposing the dial to light, such as direct sunlight or fluorescent lamps.

After taking off the watch, put it in a location where the dial is exposed to bright light, such as by a window.

The watch can be charged effectively when the dial is exposed to sunlight as shown in the figure.

For optimal performance, be sure to:

- Charge the watch by exposing it to direct sunlight for five to six hours at least once a month.
- Avoid leaving the watch in a dark place for long periods of time.




## Charging your watch

- If the watch is obscured from light by long sleeves frequently, supplemental charging may be needed to ensure continual operation.
- Do not charge the watch at high temperature (about 60°C/140°F or higher).

### ◆ When the watch reaches a low charge state (insufficient charge warning function)

When the power reserve becomes low, the second hand moves once every two seconds. This is the insufficient charge warning function. Be sure to fully charge your watch.

- When the watch is sufficiently charged, the second hand will move normally.
- If you do not charge the watch for 2 days or longer after the insufficient charge warning movement has begun, the watch will be depleted of all power and stop.



- When in the insufficient charge warning state, the current time and date are indicated. However, you cannot configure or confirm settings, or operate the chronograph.

### ◆ Charging time by environment

Below are the approximate times required for charging when exposing the watch dial to light continuously. Please use this table as a reference only.

Environment	Illuminance (lx)	Charging time (approx.)		
		To work for one day	To start working normally when the cell is discharged	To become fully charged when the cell is discharged
Outdoors (sunny)	100,000	5 minutes	40 minutes	30 hours
Outdoors (cloudy)	10,000	11 minutes	1 hour	40 hours
20 cm (7-7/8 inches) from a fluorescent lamp (30W)	3,000	40 minutes	2.5 hours	130 hours
Interior lighting	500	4 hours	14 hours	920 hours

Maximum run time from full charge: Approx. 6 months (in normal operation), approx. 10 months (with power save feature)

### ◆ Power save feature

When the watch is not exposed to light for 30 minutes or longer, such as when you store it in a dark place, the second hand automatically stops to save the power. However, the watch continues to work internally.


- When the crown is in position 1 or 2, the power save feature will not activate.
- The power save feature can not be activated or deactivated manually.

### ◆ To cancel the power save feature

When the watch is exposed to light sufficient for charging, the power save feature is automatically canceled and normal time indication will resume.

### ◆ Checking the power reserve

Checking the current power reserve.



1. Ensure that the crown is in position 0 .
2. Press and release the lower right button (A) .  
The chronograph minute hand moves to indicate the power reserve.
  - For details on the power reserve level, see the next page.
3. Press and release the lower right button (A) to finish the check procedure.
  - The current time indication will resume automatically when leaving the watch for approx. 10 seconds.

Note: You cannot perform this operation when using the chronograph.


### The power reserve level indications

Level	3	2	1	0
Power reserve level				
Approximate duration of operation at each level	Approx. 180 to 130 days	Approx. 130 to 30 days	Approx. 30 to 2 days	Approx. 2 days
	Power reserve is sufficient for all features and functions. Optimal performance is achieved at this level.	Power reserve is sufficient for all operations at this level.	Power reserve is getting low. The watch should be fully charged to ensure optimal performance.	Power reserve is not sufficient for normal operation. The watch must be fully charged.
			The watch must be charged immediately.	

- When the power reserve is at level 1 or 0, the chronograph minute hand always indicates the power reserve level.
- When the power reserve is at level 0, the current time and date are indicated. However, you cannot configure or confirm settings, or operate the chronograph.

## Using the chronograph

The chronograph can measure up to 60 minutes in units of 1/20 seconds.



1. Ensure that the crown is in position **0**.
2. Press and release the upper right button **B**.  
The watch enters the chronograph mode.
  - As shown in the figure, the chronograph minute, chronograph second, and chronograph 1/20 second hands point in the 12 o'clock direction.
3. Press and release the upper right button **B** to start measurement.
4. Press and release the upper right button **B** to suspend measurement.
  - Pressing the upper right button **B** again will resume the measurement operation.

## Using the chronograph


5. Press and release the lower right button **A** to reset the measured time.
  - Make sure to reset the time after finishing measurement.
6. Press and release the lower right button **A** again to return to current time indication.
  - The current time indication will resume automatically when leaving the watch for approx. 3 hours.

- When 30 seconds have elapsed after the measurement is started (or restarted), the chronograph 1/20 second hand stops at the zero second position. However, the measurement is still conducted.
- The chronograph cannot be used when the power reserve is at level 0. Even when the power reserve is at level 1, we recommend charging the watch before using the chronograph.
- Do not pull out the crown during chronograph measurement operation. The measurement will stop.

## Setting the World Time

The watch can indicate the time and date of any of the 26 pre-programmed cities.

- When using the watch in an area not listed in the table below, select and set the city with the same time difference.



### 1. Pull the crown out to position 1.

The second hand indicates the current city setting; the chronograph minute hand indicates the daylight saving time ON/OFF setting; and the chronograph 1/20 second hand indicates the daylight saving time auto/manual setting.

- Setting Daylight Saving Time →Page 26

### 2. Rotate the crown to select the city for which you want to indicate the time and date.

- Move the second hand to select the city by referring to "second hand position" in the city indication table.

### 3. Push the crown in to position 0 to finish the setting.

## Setting the World Time

### ◆ City indication table

Abbreviation	City indication or second hand position		Time difference	Signal from...	
LON	*	LONDON	0 sec.	0	Germany
PAR	*	PARIS	2 sec.	+1	
ATH	*	ATHENS	4 sec.	+2	
RUH		RIYADH	7 sec.	+3	
DXB		DUBAI	9 sec.	+4	
KHI		KARACHI	11 sec.	+5	China
DEL		DELHI	14 sec.	+5.5	
DAC		DACCA	16 sec.	+6	
BKK		BANGKOK	18 sec.	+7	
BJS/HKG		BEIJING/HONGKONG	21 sec.	+8	

## Setting the World Time

Abbreviation	City indication or second hand position		Time difference	Signal from...
TYO	TOKYO	23 sec.	+9	Japan
ADL	ADELAIDE	25 sec.	+9.5	
SYD	SYDNEY	28 sec.	+10	
NOU	NOUMEA	30 sec.	+11	
AKL	AUCKLAND	32 sec.	+12	
MDY	MIDWAY ISLANDS	35 sec.	-11	
HNL	HONOLULU	37 sec.	-10	USA
ANC	** ANCHORAGE	39 sec.	-9	
LAX	** LOS ANGELES	42 sec.	-8	
DEN	** DENVER	44 sec.	-7	
CHI	** CHICAGO	46 sec.	-6	
NYC	** NEW YORK	49 sec.	-5	

## Setting the World Time

Abbreviation	City indication or second hand position		Time difference	Signal from...
SCL	SANTIAGO	51 sec.	-4	USA
RIO	RIO DE JANEIRO	53 sec.	-3	
FEN	FERNANDO DE NORONHA	56 sec.	-2	Germany
PDL	* AZORES	58 sec.	-1	

- The city indications displayed on the watch may be different, depending on the model.
- For a city indicated by \*, the daylight saving time indication and the standard time indication are linked together.
- For a city indicated by \*\*, the daylight saving time indication and the standard time indication are linked together.
- The time difference in the table above is based on UTC.
- The time difference may change depending on the country or area.

## Setting Daylight Saving Time

### ◆ Daylight saving time

Daylight Saving Time is a system adopted in some countries/areas to gain an extra hour of daylight during summer by advancing clocks by one hour. In an area where the daylight saving time is in effect, the time signal contains a daylight saving time check signal.


When receiving the daylight saving time check signal, this watch automatically enables/disables (turns ON/OFF) the Daylight saving time setting.

- Daylight Saving Time can be manually disabled in an area where the time signal can be received but the daylight saving time is not in effect. (See pages 30 and 31.)
- Daylight Saving Time can be manually enabled even if the watch is outside the area. (See pages 30 and 31.)

- The daylight saving time rules may change depending on the country or area.
- A daylight saving time period is different depending on the country or area.

## Setting Daylight Saving Time

### ◆ Checking the time currently shown







#### 1. Pull the crown out to position 1.

The second hand indicates the current city setting; the chronograph minute hand indicates the daylight saving time ON/OFF setting; and the chronograph 1/20 second hand indicates the daylight saving time auto/manual setting.

- Check the settings by referring to the table in the next page.

## Setting Daylight Saving Time

Daylight Saving Time indication (ON/OFF) (Chronograph minute hand)	Auto/Manual indication (Chronograph 1/20 second hand)	Description
Enable Daylight Saving Time (ON) 	Automatic setting (12 o'clock direction) 	Automatically switch between Daylight Saving Time and Standard Time by receiving the signal. -When a daylight saving time check signal is received, the daylight saving time ON/OFF setting is changed.
Enable Standard Time (OFF) 	Manual setting (6 o'clock direction) 	Manually switch between Daylight Saving Time and Standard Time. -Even if a daylight saving time check signal is received, the daylight saving time ON/OFF setting is not changed.

- Switching ON/OFF of Daylight Saving Time → (See page 30)
- Auto/manual switching of Daylight Saving Time → (See page 31)

## Setting Daylight Saving Time

To automatically enable Daylight Saving Time when using the watch in an area where the time signal can be received:



Set the auto/manual setting to auto (the watch will automatically change the daylight saving time ON/OFF setting when receiving a daylight saving time check signal.)

To enable Daylight Saving Time manually when the time signal can not be received:




Turn the daylight Saving Time ON/OFF setting to ON when you want to enable Daylight saving time.

To prevent the watch from automatically enabling Daylight Saving Time through signal reception:




Set the auto/manual setting to manual and turn the daylight saving time ON/OFF setting to OFF.

### ◆ Switching ON/OFF of Daylight Saving Time



1. Pull the crown out to position 1.  
The chronograph minute hand indicates the current daylight saving time ON/OFF setting.
2. Press and release the upper right button (B) to adjust the daylight saving time setting.  
Each time you press and release the upper right button (B), the chronograph minute hand points SMT ON and SMT OFF alternately to indicate the daylight saving time ON/OFF setting is switched.
3. Push the crown in to position 0 to finish the setting.

### ◆ Auto/manual adjustment of Daylight Saving Time



1. Pull the crown out to position 1.  
The chronograph 1/20 second hand indicates the current auto/manual setting.
  2. Press and hold the lower right button (A) for two or more seconds.  
Each time you hold down the lower right button (A) for two or more seconds, the chronograph 1/20 second hand points the 12 o'clock direction (auto) and the 6 o'clock direction (manual) alternately.
- While manual setting is enabled, the daylight saving time ON/OFF setting is not changed even when the watch receives the time signal. Refer to the procedure described on the previous page to change the ON/OFF setting.
3. Push the crown in to position 0 to finish the setting.

## Setting Daylight Saving Time

### ◆ The time shown for each city

The watch shows and memorizes Daylight Saving Time/standard time in common for the following cities/time differences in each area so you do not need to change them for each city/time differences.

- If you show the standard time manually for a city/time differences, the watch always shows the standard time for that city/time difference regardless of the time shown for others in the same area.

Areas receiving the signal from USA	
City	Time difference
Anchorage/ANC	-9
L.Angeles/LAX	-8
Denver/DEN	-7
Chicago/CHI	-6
New York/NYC	-5

Areas receiving the signal from Germany	
City	Time difference
London/LON	0
Paris/PAR	+1
Athens/ATH	+2
Azores/PDL	-1

For cities/time differences other than those listed above, the time shown last is memorized for each.

## Notes on the time signal reception

There are three ways to receive the time signal:

The second hand indicates the reception result (OK/NO). (See page 41)

Methods	Explanations
<b>Automatic reception</b>	Receives the signal at 2:00 a.m. every day. If reception is unsuccessful, the watch tries to receive at 3:00 a.m.
<b>On demand reception</b>	Starts receiving the signal when you want to adjust the time and date. (See page 43.)
<b>Recovery automatic reception</b>	Automatically receives the signal once after charging when the watch stops due to insufficient charge.

- Even when this watch receives the time signal successfully, the accuracy of the displayed time will be dependent on the reception environment and internal processing.
- If the watch is not able to receive the signal, it will operate normally within an accuracy range of  $\pm 15$  seconds per month.

## Notes on the time signal reception

### ◆ When receiving the time signal

Remove the watch and place it on a stable surface where it can receive the signal better, such as next to a window.

- The reception antenna is located at the 9:00 position of the watch. Place the watch with the 9:00 position facing toward the station.
- Do not move the watch during time signal reception.
- The watch will not receive the time signal when in a low charge state as indicated by the second hand moving in two second increments (the insufficient charge warning). Fully charge the watch before reception.



## Notes on the time signal reception

### ◆ Note on the time signal


This watch receives the time signal from one of the five signal stations located in four regions, and automatically corrects the time and date.

The signal stations are as follows:


Signal stations	Kind of the time signal
Fukushima station, Japan	JJY
Kyushu station, Japan	
Fort Collins station, Denver, Colorado, USA	WWVB
Mainflingen station, Southeast Frankfurt, Germany	DCF77
Shangqiu station, Henan, China	BPC

- Refer to the maps on pages 36 to 38 to see the locations of the signal stations and their receivable area roughly.



## Notes on the time signal reception



## Notes on the time signal reception



## Notes on the time signal reception



## Notes on the time signal reception

### ◆ Poor reception areas

It may be difficult to receive the time signal properly under certain environmental conditions or in areas susceptible to radio noise.

- Extremely hot or cold locations



- Inside vehicles



- Near electrical equipment or office appliances



- Near high-tension electrical lines, railway overhead wires or communication facilities



- Inside reinforced concrete buildings, between tall buildings, mountains, or underground



- Near mobile phones that are in use



## Notes on the time signal reception

### ◆ When signal reception is poor

High-tension electrical lines or other structures near your house may block the path to the signal station. This may result in a poor environment for receiving the time signal.


With reference to pages 36 to 38, search for a better place for reception.

Then, attempt to receive the time signal following the procedure on page 43.

- If the window contains a wire netting in it, open the window or change the location for better reception.

## Checking the time signal reception

Check the result of the last signal reception.






1. Ensure that the crown is in position **0**.
2. Press and release the lower right button **A**.  
The chronograph 1/20 second hand indicates the signal reception result.
  - For details on the reception result, see the next page.
3. Press and release the lower right button **A** to finish the check procedure.
  - The current time indication will resume automatically when leaving the watch for approx. 10 seconds.

You can not perform this operation when using the chronograph.

## Checking the time signal reception


### ◆ Time signal reception result

Indication			
Result	OK	NO	RX
Meaning	Reception has succeeded.	Reception has failed. The time and data/calendar have not been corrected.	Receiving

• For details on time signal reception, see page 33.

## Receiving the time signal manually (On demand reception)

You can adjust the watch by receiving the time signal any time when the time and date are not correct or the reception result is "NO."



- The signal station is different depending on the city set. Confirm the current city setting.
- You can not perform this operation when using the chronograph.

1. Ensure that the crown is in position **0**.
2. Press and hold the lower right button **A** for two or more seconds.

The result of the last signal reception is displayed, then on-demand reception starts. (2-30 minutes)


- The chronograph 1/20 second hand indicates "RX."

## Receiving the time signal manually (On demand reception)

- The watch will not receive the time signal when in a low charge state as indicated by the second hand moving in two second increments (the insufficient charge warning).
- If the current location is different from the city you set, the watch will not receive the time signal.
- Press and hold the lower right button (A) for two or more seconds to cancel the signal reception.
- The reception operation is complete when normal time indication resumes.


## Adjusting the time/calendar manually

Manually adjust the time/calendar when the watch cannot receive the time signal.




1. Pull the crown out to position 1.
2. Press and hold the upper right button (B) for two or more seconds.

The second hand moves to the 30-second position and the chronograph minute hand moves to the 60-minute position.






3. Pull the crown out to position 2.
- The second hand moves to the 0 second position indicating the time and calendar may be manually adjusted.

## Adjusting the time/calendar manually



4. Press and release the upper right button **B** to select the correction target.  
Each time you press and release the upper right button **B**, the correction target changes as follows and the corresponding hand slightly moves.
- ① Time (minutes/hours/24 hour time) → ② date →  
③ day of the week → ④ year and month → back to ①



## Adjusting the time/calendar manually

### 5. Rotate the crown to adjust each setting.

- If you spin the crown quickly, the hands for the time and date will move continuously. To slow down and stop them, slightly rotate the crown.
- To move the date forward or backward by one day, slightly rotate the crown.
- The date changes at approximately 0.00 am. It takes about five seconds for the displayed date to completely change.
- The year and month are indicated by the second hand. Refer to the charts on pages 48 and 49 for proper month and leap year setting.

### 6. Repeat procedures 4 and 5.

7: A few minutes may have elapsed during setting of the calendar and the minutes may need correction.


Press and release the upper right button. Rotate the crown clockwise to set the current minute.

### 8. Push the crown in to position [0] to finish setting.

The second hand starts moving from the 0 second position and the time/calendar indication will resume.

For the most accurate setting, push the crown when referring to a reliable time source.

◆ Month and year indications



The number of years and months since the leap year is indicated by minute marks.

**[Month]**

**December:** between 12:00 and 01:00

**January:** between 01:00 and 02:00

**February:** between 02:00 and 03:00

**[Year]**

**Leap year:**

Hour marker in each month

**1st year since leap year:**

1st min. marker in each month

**2nd year since leap year:**

2nd min. marker in each month

**3rd year since leap year:**

3rd min. marker in each month


You can get the actual year from the number of years passed from the leap year by referring to the following table:

Indication of the second hand	Passed year	Year
Hour marker	Leap year	2012, 2016, 2020
1st min. marker	1st year	2013, 2017, 2021
2nd min. marker	2nd year	2014, 2018, 2022
3rd min. marker	3rd year	2015, 2019, 2023

## Checking and correcting the current reference position

### ◆ What is the reference position?

The base position for all the hands to indicate the time and date. If the reference position is not at the correct position, the time and functions are not indicated correctly.




**Figure: Correct reference positions**

- Hands: All point in the 12 o'clock direction.
- Date: Between "31" and "1"


## Checking and correcting the current reference position

### ◆ Checking and correcting the current reference position



1. Ensure that the crown is in position **0**.
2. Press and hold the upper right button **B** for ten seconds.  
All hands and the date indicator move to indicate the current reference position.  
Correct the reference position by taking the following steps if the position is not accurate.
3. Pull the crown out to position **2**.  
This will enable you to correct the reference position.

## Checking and correcting the current reference position



### 4. Press the upper right button **B** to select the correction target.

Each time you press the upper right button **B**, the correction target changes as follows and the corresponding hand slightly moves.

- ① Chronograph 1/20 second hand →
- ② Chronograph minute hand/date indication →
- ③ Minute hand/hour hand/24-hour hand →
- ④ Second hand → back to ①

#### ① Chronograph 1/20 second hand



#### ② Chronograph minute hand/date indication



The chronograph minute hand and the date indication move in conjunction with each other.

#### ③ Minute hand/hour hand/24-hour hand



The minute, hour, 24-hour hands move in conjunction with one another.

#### ④ Second hand

## Checking and correcting the current reference position

### 5. Rotate the crown to correct the reference position of the active hand/ indication.

- When you rotate the crown quickly, each hand will move continuously. To slow down and stop them, slightly rotate the crown.

### 6. Push the crown in to position **0** to finish the correction.

### 7. Press and release the upper right button **B** to return to current time indication.

## Troubleshooting

If you have a problem with your watch, check the table below.

### Problems with time signal reception.

Symptoms	Remedies	Page
Reception is unsuccessful in a receivable area.	Push the crown in to position 0.	—
	Avoid things likely to interfere with the time signal and place the watch with the 9:00 position facing toward the station.	34, 39
	Do not move the watch until the reception has finished.	34
	When the second hand moves once every two seconds, the watch cannot receive the time signal. Fully charge the watch.	14
The correct time and date are not indicated after successful reception.	Check and correct the current reference position.	51
	Check the city setting.	22
	Check the daylight saving time setting.	27

## Troubleshooting

### The hands do not work properly.

Symptoms	Remedies	Page
The hands move in an unexpected direction.	Stop the chronograph.	20
The second hand moves once every two seconds.	Fully charge the watch.	14
All hands stop moving.	Push the crown in to position 0.	—
	Fully charge the watch by exposing it to direct sunlight until the second hand starts moving once every one seconds. After charging, signal reception automatically starts. (Recovery automatic reception)	14
The watch does not enter the chronograph mode.	The chronograph cannot be used when the power reserve is at level 0. Fully charge the watch.	12
The chronograph minute hand does not point in the 12 o'clock direction.	When the power reserve is insufficient, level 1 is displayed for the power reserve. Fully charge the watch.	12
The hands start turning rapidly as you take the watch out of the case.	The watch is canceling the power save feature. Wait until the rapid movement stops.	16

The time and/or date is incorrect.

Symptoms	Remedies	Page
The time and/or date is incorrect.	Check the city setting.	22
	Change the daylight saving time setting.	27
	Check and correct the current reference position.	51
	Receive the time signal to adjust the time and date.	43
	Set the time and date manually.	45
The date changes at around 12:00 p.m.	Check and correct the current reference position.	51
	Receive the time signal to adjust the time and date.	43
	Adjust the time manually.	45

Others

Symptoms	Remedies	Page
The hands do not move even if the watch is charged.	Fully charge the watch by exposing it to direct sunlight for five to six hours. If the problem is not solved after fully charging, and following the all reset and reference procedures, contact your nearest Citizen Authorized Service Center for further assistance.	12

◆ All Reset

When the watch does not work properly, you can reset all the settings. If the power reserve is insufficient, fully charge the watch as outlined on page 15.


**Check before performing All Reset.**

After performing All Reset, you will need to configure all settings. Completely set the watch by following the procedures outlined below:

1. **Correct the reference position.** See page 51.
2. **Set the city.** See page 22.
  - To set Daylight Saving Time, see page 27.
3. **Set the time.**  
To adjust the time by receiving the time signal, see page 43. To adjust the time manually, see page 45.

◆ Performing the All Reset

Perform this operation after checking the contents of the previous page in this manual.



1. Pull the crown out to position 2.
2. Press and hold both the lower right button (A) and the upper right button (B) for four or more seconds.  
All Reset will be performed.  
The settings will be reset as follows:

**The settings after All Reset**

- Reference positions of hands/date : Positions when the crown is pushed in.
- Calendar : Leap year, January/Sunday
- City : LON (London)
- Daylight Saving Time : OFF (Standard time)
- Switching of Daylight Saving Time : Auto

## Eco-Drive (solar powered) watch handling precautions

### <Always Make Sure to Recharge Frequently>

- Please note that if you wear long sleeves, the watch may stop as a result of being covered by your sleeve and blocked from the light.
- When you take off the watch, try to place it in as bright a location as possible. This will ensure optimal operation.

## Eco-Drive (solar powered) watch handling precautions

### CAUTION Recharging Precautions

- Do not charge the watch at a high temperature (about 60°C/140°F or higher) as doing so may cause the movement to malfunction.

#### Examples:

- Charging the watch too close to a light source which generates a large amount of heat such as an incandescent lamp or halogen lamp.
  - \* When charging under an incandescent lamp, be sure to leave 50 cm (19-11/16 inch) or more between the lamp and the watch to avoid exposing the watch to excessive heat.
- Charging the watch in a location where the temperature may become extremely high such as on the dashboard of a vehicle.



### <Replacement of Rechargeable Cell>

- This watch utilizes a special rechargeable cell that does not require regular replacement. However power consumption may increase after using the watch for a number of years due to wear of internal components and deterioration of oils. This may cause stored power to be depleted at a faster rate. For optimal performance, we recommend having your watch inspected (chargeable to the owner) by an Authorized Service center to ensure operation is within factory specifications.

### **WARNING** Handling of Rechargeable Cell

- The rechargeable cell should never be removed from the watch.  
If for any reason it becomes necessary to remove the rechargeable cell from the watch, keep out of the reach of children to prevent accidental swallowing.  
If the rechargeable cell is accidentally swallowed, consult a doctor immediately.
- Do not dispose of the rechargeable cell with ordinary garbage. Please follow the instructions of your municipality regarding collection of batteries to prevent the risk of fire or environmental contamination.






### **WARNING** Use Only the Specified Battery

- Never use a battery other than the rechargeable cell specified for use in this watch. Although the watch structure is designed so that it will not operate when another type of battery is installed, if a silver battery or other type of battery is installed in the watch and the watch is recharged, there is the risk of overcharging which may cause the battery to rupture. This can cause damage to the watch and injury to the wearer.  
When replacing the rechargeable cell, always make sure to use the designated rechargeable cell.

## Water resistance

### WARNING Water Resistance

- Refer to the watch dial and the case back for the indication of the water resistance of your watch. The following chart provides examples of use for reference to ensure that your watch is used properly. (The unit "1bar" is roughly equal to 1 atmosphere.)
- WATER RESIST(ANT)  $\times\times$ bar may also be indicated as W.R. $\times\times$ bar.
- Non-water resistant models are not designed to come into contact with any moisture. Take care not to expose a watch with this rating to any type of moisture.

Name	Indication	Specification	Water-related use				
	Dial or Case back						
Non-water resistant	—	Non-water resistant	NO	NO	NO	NO	NO
Everyday-use water resistant watch	WATER RESIST(ANT)	Water-resistant to 3 atmospheres	OK	NO	NO	NO	NO
Upgraded everyday use water-resistant watch	WATER RESIST(ANT) 5 bar	Water-resistant to 5 atmospheres	OK	OK	NO	NO	NO
	WATER RESIST(ANT) 10/20 bar	Water-resistant to 10 or 20 atmospheres	OK	OK	OK	NO	NO

## Water resistance

- Water resistance for daily use (to 3 atmospheres) means the watch is water resistant for occasional accidental splashing.
- Upgraded water-resistance for daily use (to 5 atmospheres) means that the watch may be worn while swimming, but is not to worn while skin diving.
- Upgraded water-resistance for daily use (to 10/20 atmospheres) means that the watch may be worn while skin diving, but not while scuba or saturated diving using helium gas.

## Precautionary items and usage limitations

### CAUTION To Avoid Injury

- Be particularly careful when wearing your watch while holding a small child, to avoid injury.
- Be particularly careful when engaged in strenuous exercise or work, to avoid injury to yourself and others.
- Do NOT wear your watch while in a sauna or other location where your watch may become excessively hot, since there is the risk of burns.
- Be careful when putting on and taking off your watch, since there is a risk of damaging your fingernails, depending on the manner in which the band is fastened.
- Take off your watch before going to bed.

### CAUTION Precautions

- Always use the watch with the crown pushed in (normal position). If the crown is of the screw lock-type, make sure it is securely locked.
- Do NOT operate the crown or any push buttons when the watch is wet. Water may enter the watch causing damage to vital components.
- If water enters the watch or the watch fogs up and does not clear up even after a long time, consult your dealer or Authorized Service Center for inspection and/or repair.

## Precautionary items and usage limitations

### CAUTION Precautions (continued)

- Even if your watch has a high level of water resistance, please be careful of the following.
  - If your watch is immersed in sea water, rinse thoroughly with fresh water and wipe with a dry cloth.
  - Do not pour water from a tap directly onto your watch.
  - Take off your watch before taking a bath.
- If seawater enters the watch, place the watch in a box or plastic bag and immediately take it in for repair. Otherwise, pressure inside the watch will increase, and parts (crystal, crown, push button, etc.) may come off.

### CAUTION When Wearing Your Watch

#### <Band>

- Leather, genuine skin and rubber (urethane) bands will deteriorate over time due to perspiration, body oils and dirt. Be sure to replace the band periodically.
- The durability of a leather band may be affected when wet (fading, peeling of adhesive), owing to the properties of the material. Moreover, wet leather may cause a rash.
- It is recommended to take off the watch if it gets wet, even if the watch itself is water-resistant.

### **CAUTION** When Wearing Your Watch (continued)

- Do Not wear the band too tightly. Try to leave enough space between the band and your skin to allow adequate ventilation.
- The rubber (urethane) band may be stained by dyes or soil present in or on clothing or other accessories. Since these stains may not be removable, caution is required when wearing your watch with items that tend to easily transfer color (articles of clothing, purses, etc.). In addition, the band may be deteriorated by solvents or moisture in the air. Replace with a new one when it has lost elasticity or become cracked.
- Please request adjustment or repair of the band in the following cases:
  - You notice an abnormality with the band due to corrosion.
  - The pin of the band is protruding.

#### <Temperature>

- The watch may stop or the function of the watch may be impaired in extremely high or low temperature. Do not use the watch in places where the temperature is outside the operating temperature range as stated in the specifications on pages 72 and 73.

#### <Magnetism>

- Analog quartz watches are powered by a step motor that uses a magnet. Subjecting the watch to strong magnetism from the outside can cause the motor to operate improperly and prevent the watch from keeping time accurately. Do not allow the watch to come into close proximity to magnetic health devices (magnetic necklaces, magnetic elastic bands, etc.) or the magnets used in the latches of refrigerator doors, clasps used in handbags, the speaker of a cell phone, electromagnetic cooking devices and so on.

#### <Strong Shock>

- Avoid dropping the watch or subjecting it to other strong impact. It may cause malfunctions and/or performance deterioration as well as damage to the case and bracelet.

#### <Static Electricity>

- The integrated circuits (IC) used in quartz watches are sensitive to static electricity. Please note the watch may operate erratically or not at all if exposed to intense static electricity.

#### <Chemicals, Corrosive Gasses and Mercury>

- If paint thinner, benzene or other solvents or products containing these solvents (including gasoline, nail-polish remover, cresol, bathroom cleaners and adhesives, water repellent, etc.) are allowed to come into contact with the watch, they may discolor, dissolve or crack the materials. Be careful when handling these chemicals. Contact with mercury such as that used in thermometers may also cause discoloration of the band and case.

 **CAUTION** Always Keep Your Watch Clean

- Rotate the crown while it is pressed in fully and press the buttons periodically so they do not become stuck due to accumulations of foreign matter.
- The case and band of the watch come into direct contact with the skin in the same manner as undergarments. Corrosion of the metal or unnoticed soiling such as that caused by perspiration and dirt can soil sleeves and other portions of clothing. Keep your watch clean at all times.
- The case and band of the watch come into direct contact with the skin. If you think there is something wrong, discontinue wearing the watch immediately and consult your physician. In the case of accumulation of sweat or dirt on a metal band or case, clean thoroughly using a brush and neutral detergent. In the case of a leather or rubber (urethane) band, wipe clean using a dry cloth.
- Leather bands may become discolored by perspiration or dirt. Always keep your leather band clean by wiping with a dry cloth.

 **CAUTION** Caring for Your Watch

- Wipe any dirt or moisture such as perspiration from the case and crystal with a soft cloth.
- For a metallic, plastic or rubber watchband, wash any dirt off with water. Remove the small amounts of dirt trapped between the crevices of the metallic band with a soft brush.
- For a leather or rubber (urethane) band, wipe off dirt using a dry cloth.
- If you will not be using your watch for an extended period of time, carefully wipe off any perspiration, dirt or moisture and store in a proper location, avoiding locations subject to excessively high or low temperatures and high humidity.

**<When Luminous Paint is used for your watch>**

The paint on the dial and hands helps you with reading the time in a dark place. The luminous paint stores light (daylight or artificial light) and glows in a dark place. It is free from any radioactive substance or any other material harmful to a human body or environment.

- The light emission gradually becomes weaker as time passes.
- The duration of the light ("glow") will vary depending on the brightness, types of and distance from a light source, exposure time, and the amount of the paint.
- The paint may not glow and/or may dissipate quickly if exposure to light was not sufficient.

## Specifications

<b>Model</b>	H80*	<b>Type</b>	Analog solar-powered watch
<b>Timekeeping accuracy (without reception)</b>	Within $\pm 15$ seconds per month when worn at normal operation temperatures (between $+5^{\circ}\text{C}/41^{\circ}\text{F}$ and $+35^{\circ}\text{C}/95^{\circ}\text{F}$ )		
<b>Operating temperature range</b>	$-10^{\circ}\text{C}/14^{\circ}\text{F}$ ~ $+60^{\circ}\text{C}/140^{\circ}\text{F}$		
<b>Display functions</b>	<ul style="list-style-type: none"> <li>• Time: Hours, minutes, seconds, 24-hour time</li> <li>• Calendar: Date, day of the week</li> <li>• Power reserve: 4 levels</li> </ul>		
<b>Maximum run time from full charge</b>	<ul style="list-style-type: none"> <li>• Fully charged to fully discharged: Approximately 10 months (with power save feature) Approximately 6 months (without power save feature)</li> <li>• Power reserve upon insufficient charge warning function: Approximately 2 days</li> </ul> <p>* Maximum run time shown is effective under following conditions.</p> <ul style="list-style-type: none"> <li>• The chronograph is used once per day for 60 minutes.</li> <li>• The automatic reception is performed once per day.</li> </ul>		

## Specifications

<b>Battery</b>	Rechargeable cell (lithium button cell), 1 pc.
<b>Additional functions</b>	<ul style="list-style-type: none"> <li>• Solar power function</li> <li>• Overcharging prevention function</li> <li>• Insufficient charge warning function (two-second interval movement)</li> <li>• Energy saving function (power save feature)</li> <li>• Receiving time signal (automatic, on demand, automatic recovery) Signal stations: Japan (East/West)/USA/Germany/China * When the time difference is corrected, the signal station is switched.</li> <li>• Indicating the state of reception (RX, OK or NO)</li> <li>• Indicating the result of the last reception</li> <li>• Automatic selection of time signal stations</li> <li>• Daylight Saving Time (ON/OFF, Auto/Manual)</li> <li>• Chronograph (up to 60 minutes in 1/20 second increments)</li> <li>• City setting (26 cities)</li> <li>• Perpetual calendar (until February 28th, 2100)</li> <li>• Checking and correcting the reference position</li> </ul>

Specifications are subject to change without prior notice.